

## Visitation Training: How to Protect Yourself & Others

### Know how it spreads:

- There is currently no vaccine to prevent coronavirus disease 2019 (COVID-19).
- **The best way to prevent illness is to avoid being exposed to this virus.**
- The virus is thought to spread mainly from person-to-person.
  - Between people who are in close contact with one another (within about 6 feet).
  - Through respiratory droplets produced when an infected person coughs, sneezes or talks.
  - These droplets can land in the mouths or noses of people who are nearby or possibly be inhaled into the lungs.
  - Some recent studies have suggested that COVID-19 may be spread by people who are not showing symptoms.

### Everyone Should:

#### Wash your hands often

- Wash your hands often with soap and water for at least 20 seconds especially after you have been in a public place, or after blowing your nose, coughing, or sneezing.
- It's especially important to wash:
  - Before eating or preparing food
  - Before touching your face
  - After using the restroom
  - After leaving a public place
  - After blowing your nose, coughing, or sneezing
  - After handling your mask
  - After changing a diaper
  - After caring for someone sick
  - After touching animals or pets
- If soap and water are not readily available, **use a hand sanitizer that contains at least 60% alcohol.** Cover all surfaces of your hands and rub them together until they feel dry.
- **Avoid touching your eyes, nose, and mouth** with unwashed hands.

#### Avoid close contact: Social Distancing:

- **Inside your home:** Avoid close contact with people who are sick.
  - If possible, maintain 6 feet between the person who is sick and other household members.
- **Outside your home:** Put 6 feet of distance between yourself and people who do not live in your household.
  - Remember that some people without symptoms may be able to spread virus.
  - Stay at least 6 feet (about 2 arms' length) from other people.
  - Keeping distance from others is especially important for people who are at higher risk of getting very sick.

#### Cover your mouth and nose with a mask when around others

- You could spread COVID-19 to others even if you do not feel sick.
- The mask is meant to protect other people in case you are infected.
- Everyone should wear a mask in public settings and when around people who don't live in your household, especially when other social distancing measures are difficult to maintain.

- Continue to keep about 6 feet between yourself and others. The mask is not a substitute for social distancing.

**Cover coughs and sneezes:**

- **Always cover your mouth and nose** with a tissue when you cough or sneeze or use the inside of your elbow and do not spit.
- **Throw used tissues** in the trash.
- Immediately **wash your hands** with soap and water for at least 20 seconds. If soap and water are not readily available, clean your hands with a hand sanitizer that contains at least 60% alcohol.

**Wear your Mask Correctly**

- Wash your hands before putting on your mask
- Put it over your nose and mouth and secure it under your chin
- Try to fit it snugly against the sides of your face
- Make sure you can breathe easily

**Wear a Mask to Protect Others**

- Wear a mask that covers your nose and mouth to help protect others in case you're infected with COVID-19 but don't have symptoms
- Wear a mask in public settings when around people who don't live in your household, especially when it may be difficult for you to stay six feet apart
- Wear a mask correctly for maximum protection
- **Don't** put the mask around your neck or up on your forehead  
**Don't** touch the mask, and, if you do, wash your hands or use hand sanitizer.

**Monitor Your Health Daily:**

- **Be alert for symptoms.** Watch for fever, cough, shortness of breath, or other symptoms of **COVID-19**.
  - Especially important if you are running essential errands, going into the office or workplace, and in settings where it may be difficult to keep a physical distance of 6 feet.
- **Take your temperature** if symptoms develop.
  - Don't take your temperature within 30 minutes of exercising or after taking medications that could lower your temperature, like acetaminophen.
- Follow CDC guidance if symptoms develop. Inform the facility if you develop a fever or symptoms consistent with COVID-19 within 14 days of a visit.

**By signing below, I acknowledge having training and understanding of Infection control practices.**

---

**Signature**

---

**Print**