First Aid Skills Testing Checklist Heartsaver First Aid





Student Name	Date of Test	
Scenario: "EMS has arrived and takes over. You	may now remove your gloves. Demonstrate wha	at you would do next."
Removing Gloves		
	to peel it off $\ \ \Box$ Cups the inside-out glove with the out for the second glove off, with the first glove inserty	
Scenario: "You find a coworker lying on the floor Demonstrate how you would find the problem."	r in the break room. There are a phone, first aid k	cit, and AED on the wall.
Finding the Problem		
 □ Verbalizes that the scene is safe □ Checks breathing[†] □ Looks for injury and injury and		first aid kit and AED
*After the student taps and shouts, the instructor	r says, "The person is unresponsive."	
	checked for breathing, the instructor says, "The p	erson is breathing
[‡] After the student checks for injury and medical there is no medical information jewelry."	information jewelry, the instructor says, "The pers	son is not injured, and
	tion, has an epinephrine pen, and needs help using pinephrine pen. Demonstrate what you would do	
Using an Epinephrine Pen ☐ Holds epinephrine pen in fist ☐ Takes off of thigh for 10 seconds ☐ Removes epineph	20 : [] - [[[[[[[[[[[[[[[[[ngainst outer side
Scenario: "You will demonstrate stopping bleedi the first aid kit and are now ready to begin."	ng and then bandaging a small cut on the persor	n's forearm. You have
Stopping Bleeding and Bandaging		
☐ Tells person to place pressure over cut with c to bleeding area* ☐ Adds more dressings ar		☐ Applies pressure ver the dressing
*Instructor says, "The bleeding is not stopping."		
†Instructor says, "The bleeding has stopped."		
	STOP TEST	
	dent completes successfully. ssfully (as indicated by at least 1 blank check box), the quire remediation (refer to Instructor Manual for informa	
Test Results Check PASS or NR to indicate	pass or needs remediation:	PASS NR
Instructor Initials Instructor Number	Date	

Infant CPR Skills Testing Checklist Heartsaver CPR AED





Student Name Date of Test	
Scenario: "While you are pushing a baby in a stroller at the park, you notice something is wrong with the not have a phone nearby. You ensure that the scene is safe and take the baby out of the stroller. Demor would do next."	
Assessment and Activation ☐ Checks responsiveness ☐ Shouts for help ☐ Checks breathing	
Once student shouts for help, instructor says, "No one is around to help."	
Cycle 1 of CPR (30:2) *CPR feedback devices preferred for accuracy	1
Infant Compressions ☐ Performs high-quality compressions*: • Placement of 2 fingers in the center of the chest, just below the nipple line • 30 compressions in no less than 15 and no more than 18 seconds • Compresses at least one third the depth of the chest, about 1½ inches (4 cm) • Complete recoil after each compression Infant Breaths ☐ Gives 2 breaths with a barrier device • Each breath given over 1 second • Visible chest rise with each breath • Gives 2 breaths in less than 10 second • Compresses at least one third the depth of the chest, about 1½ inches (4 cm) • Complete recoil after each compression Cycle 2 of CPR (repeats steps in Cycle 1) Only check box if step is successfully performed Gives 30 high-quality compressions ☐ Gives 2 effective breaths	h conds
Cycle 3 of CPR (repeats steps in Cycle 1) Only check box if step is successfully performed. Gives 30 high-quality compressions Gives 2 effective breaths	
Instructor says, "You have just completed 5 sets of 30 compressions and 2 breaths."	
Activates Emergency Response System (9-1-1) Uerbalizes the need to leave to phone 9-1-1	
STOP TEST	
 Instructor Notes Place a ✓ in the box next to each step the student completes successfully. If the student does not complete all steps successfully (as indicated by at least 1 blank check box), the student remediation. Make a note here of which skills require remediation (refer to Instructor Manual for information about the complete students). 	
Test Results Check PASS or NR to indicate pass or needs remediation: PASS	S NR
Instructor Initials Instructor Number Date	

Child CPR Skills Testing Checklist Heartsaver CPR AED





Student Name	lame Date of Test		
Scenario: "You are home alone with a child, and the child suddent have a cell phone with you, but no AED nearby. Demonstrate w		scene is safe and you	
Assessment and Activation ☐ Checks responsiveness ☐ Shouts for help/Phones 9-1-	-1 on cell phone Checks breath	ing	
Cycle 1 of CPR (30:2) *CPR feedback devices preferre	ed for accuracy		
Child Compressions	Child Breaths		
 □ Performs high-quality compressions*: • Hand placement on lower half of breastbone • 30 compressions in no less than 15 and no more than 18 seconds • Compresses at least one third the depth of the chest, about 2 inches (5 cm) • Complete recoil after each compression Cycle 2 of CPR (repeats steps in Cycle 1) Only classified Gives 30 high-quality compressions		econd n breath n 10 seconds	
Cycle 3 of CPR (repeats steps in Cycle 1) Only of Gives 30 high-quality compressions Gives 2 effective	heck box if step is successfully perf	ormed	
nstructor says, "EMS has arrived and is taking over."			
STOP T	EST		
 Instructor Notes Place a ✓ in the box next to each step the student completes If the student does not complete all steps successfully (as indica remediation. Make a note here of which skills require remediation. 	ated by at least 1 blank check box), the		
Test Results Check PASS or NR to indicate pass or needs	remediation:	PASS NR	
Instructor Initials Instructor Number	Date		

© 2016 American Heart Association

Adult CPR and AED Skills Testing Checklist Heartsaver CPR AED





Student Name	Date of Test	
Scenario: "You arrive on the scene for a suspected cardiac arre the scene and ensure that it is safe. Demonstrate what you wo	st. No bystander CPR has been puld do next."	rovided. You approach
Assessment and Activation ☐ Checks responsiveness ☐ Shouts for help/Sends someoned	ne to phone 9-1-1 and get an AED	☐ Checks breathing
Once student shouts for help, instructor says, "Here's the barrier dev		et the AED."
Adult Compressions Performs high-quality compressions*: Hand placement on lower half of breastbone 30 compressions in no less than 15 and no more than 18 seconds Compresses at least 2 inches (5 cm) Complete recoil after each compression Cycle 2 of CPR (repeats steps in Cycle 1) Only characteristics	Adult Breaths Gives 2 breaths with a barrie Each breath given over 1 s Visible chest rise with each Gives 2 breaths in less than	second h breath n 10 seconds
☐ Gives 30 high-quality compressions ☐ Gives 2 effective nstructor says, "Here is the AED."		
AED (follows prompts of AED) ☐ Powers on AED ☐ Correctly attaches pads ☐ Clears to ☐ Presses button to deliver shock ☐ Student immediately resonant.	for analysis	eliver a shock
NED trainer says, "The shock has been delivered."		
Cycle 3 of CPR (repeats steps in Cycle 1) Only che ☐ Gives 30 high-quality compressions ☐ Gives 2 effective in Cycle 1)		ormed
STOP TE	ST	
 Instructor Notes Place a ✓ in the box next to each step the student completes see If the student does not complete all steps successfully (as indicate remediation. Make a note here of which skills require remediation) 	ed by at least 1 blank check box), the s	student must receive ion about remediation).
Test Results Check PASS or NR to indicate pass or needs re	emediation:	PASS NR
Instructor Initials Instructor Number	Data	