

# Colorado COVID-19 Vaccine Screening and Administration Form



Please print neatly in capital letters as shown in the example below

E X A M P L E 1 2 3

Please answer all questions as completely as possible

**\*\*Health Screening Questions and the administration record are on reverse side of this document**

Last Name First Name MI

Date of Birth Home Address or Post Office Box

Apt. Number City County

State Zip Code Phone

E-mail

Gender Identity  
☐ Female ☐ Male ☐ Transgender Female/Feminine ☐ Transgender Male/Masculine ☐ Non-Binary ☐ Un-specified ☐ Decline to Provide

Race(s) check all that apply  
☐ Black, African American ☐ White  
☐ American Indian/Alaskan Native ☐ Native Hawaiian/Pacific Islander ☐ Decline to Provide  
☐ Asian ☐ Other

Ethnicity  
☐ Hispanic/Latin/a/o/x ☐ Decline to Provide  
☐ Non-Hispanic/Latin/a/o/x

Health Insurance Information (OPTIONAL-INSURANCE NOT REQUIRED FOR VACCINATION) Insurance Policy Number  
☐ Medicaid ☐ Medicare ☐ Kaiser Permanente ☐ Other Private ☐ No Insurance

Have you already received a COVID vaccine? ☐ Y ☐ N When? (Date) Brand?

Please identify your Phase Category (please choose only one)

- ☐ 1A. High-risk HCWs and LTC.
- ☐ 1B.1-Moderate risk HCWs, age 70 +, and first responders
- ☐ 1B.2-Ages 65-69, PK-12 educators and child care workers in licensed child care programs, continuity of state government: 1) Child care workers in licensed child care programs 2) Teachers (full-time and substitutes) bus, food, counselors, administrative, safety and other school support services offered inside the school; 3) Select members of the Executive and Judicial branches of state government
- ☐ 1B.3 a. People age 60 and older, Frontline essential workers in grocery and agriculture: workers who cannot maintain physical distance at their place of employment, work in close contact with many people, especially indoors and in places with poor ventilation: meatpacking workers, grocery store workers, and agricultural processing workers
- ☐ 1B.3 b. People age 16-59 with 2 or more high risk conditions: Check all that apply:
- ☐ Cancer-currently receiving treatment or treated within the last month;
  - ☐ Chronic kidney disease
  - ☐ COPD
  - ☐ Diabetes Mellitus (type 1 and 2)
  - ☐ Down Syndrome
  - ☐ Specific heart conditions:
    - ☐ heart failure,
    - ☐ cardiomyopathies or coronary artery disease,
    - ☐ severe valvular/congenital heart disease
  - ☐ Obesity (BMI  $\geq 30$  kg/m<sup>2</sup>)
  - ☐ Pregnancy
  - ☐ Sickle cell disease
  - ☐ Solid organ transplant
  - ☐ People with disabilities that prevent them from wearing a mask
  - ☐ Individuals with disabilities who require direct care in their home

☐ 1B.4 People age 50 and older; People who cannot maintain physical distance at their place of employment or who work in close contact indoors with many people or work in places with poor ventilation:

- Student-facing higher education employees  
 Frontline essential workers in:  
 Food/restaurant services  
 Manufacturing  
 USPS  
 Public transit and specialized transportation  
 Public Health  
 Human Services  
 Direct Care providers for Coloradans experiencing homelessness  
 Frontline essential journalists  
 Faith leaders  
 Continuity of local government  
 Continuation of operations for state government  
 Adults who received a placebo during COVID vaccine clinical trials
- ☐ People 16-49 with one high risk conditions listed in 1.B.3 b or below:
- ☐ Asthma (moderate to severe)
  - ☐ Cerebrovascular disease
  - ☐ Cystic fibrosis
  - ☐ Hypertension or high blood pressure
  - ☐ Immunocompromised due to blood or bone marrow transplant
  - ☐ Immune deficiencies
  - ☐ HIV
  - ☐ Use of corticosteroids or other immune weakening medicines
  - ☐ Neurologic conditions (dementia)
  - ☐ Liver disease
  - ☐ Pulmonary fibrosis (damaged or scarred lung tissue)
  - ☐ Thalassemia (a type of blood disorder)

☐ 2. General Public: Any Coloradan not included in the other phases because of a lower risk of exposure or are less likely to have severe outcomes to COVID-19 disease.

[illegible][illegible]

7

Diagram illustrating the assembly of a protein complex:

- Two monomers (M) combine to form a dimer (D).
- Four dimers (D) combine to form a tetramer (Y).

Dose Number      1 ☐      2 ☐

Health Screening Questions		Yes	No
1.	Are you sick today?		
2.	Have you ever had an allergic reaction to polysorbate, polyethylene glycol, or a previous dose of COVID-19 vaccine? ^*		
3.	Have you ever had a serious allergic reaction (anaphylaxis) to another vaccine or any injectable medication? #		
4.	Have you had severe allergic reaction (anaphylaxis) to foods, pets, environmental or oral medications?		
5.	Are you pregnant or breastfeeding?		
6.	Have you received any vaccinations in the last 14 days?		
7.	Have you received any dermal fillers (Juvaderm®, Restylane®, etc.)? (only applies to mRNA vaccines)		
8.	Have you been ill with or recovered from a confirmed COVID infection within the past 3 months?		
9.	Have you had convalescent plasma or monoclonal antibodies as part of COVID-19 treatment in the past 3 months?		

I have read or had explained to me, and I understand the risks and benefits of receiving the COVID-19 vaccine. I have had a chance to ask questions, which were answered to my satisfaction. I hereby release this provider, its employees and its volunteers from any liability for any results which may occur from the administration of this vaccine.

Patient, Parent/Guardian Signature: \_\_\_\_\_ Date: \_\_\_\_\_

**STOP - DO NOT WRITE BELOW THIS LINE**

COVID/VFC PIN <div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	Clinic Name      Provider Type: <input type="checkbox"/> Public <input type="checkbox"/> Private <div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	Prescribing Provider Name <div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>		
Manufacturer <input type="checkbox"/> PFR (Pfizer) <input type="checkbox"/> AstraZeneca <input type="checkbox"/> Moderna <input type="checkbox"/> Novavax <input type="checkbox"/> Janssen	Lot Number <div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	Dosage <input type="checkbox"/> 0.3 ml <input type="checkbox"/> 0.5 ml	Site <input type="checkbox"/> LD <input type="checkbox"/> LT <input type="checkbox"/> RD <input type="checkbox"/> RT	Date Administered <div> <div> <div></div> <div></div> </div> <div> <div></div> <div></div> </div> <div> <div></div> <div></div> </div> <div> <div></div> <div></div> </div> <div> <div></div> <div></div> </div> <div> <div></div> <div></div> </div> <div> <div></div> <div></div> </div> <div> <div></div> <div></div> </div> </div>

Administered by:  
Name \_\_\_\_\_ Title \_\_\_\_\_

## Precautions/Contraindications for vaccination

### Triage of persons presenting for COVID-19 vaccination

	CONTRAINDICATION TO VACCINATION	PRECAUTION TO VACCINATION	MAY PROCEED WITH VACCINATION
ALLERGIES	<p>History of the following are contraindications to receiving either of the mRNA COVID-19 vaccines:</p> <ul style="list-style-type: none"> <li>Severe allergic reaction (e.g., anaphylaxis) after a previous dose of an mRNA COVID-19 vaccine or any of its components</li> <li>Immediate allergic reaction<sup>#</sup> of any severity to a previous dose of an mRNA COVID-19 vaccine or any of its components (including polyethylene glycol)<sup>^</sup></li> <li>Immediate allergic reaction of any severity to polysorbate<sup>*^</sup></li> </ul>	<ul style="list-style-type: none"> <li>Among persons without a contraindication, a history of: <ul style="list-style-type: none"> <li>Any immediate allergic reaction<sup>#</sup> to vaccines or injectable therapies</li> </ul> </li> </ul> <p>NOTE: people with contraindication to mRNA COVID-19 vaccines have a precaution to Janssen COVID-19 vaccine, and vice versa. See footnote for additional information on additional measures to take in these people.*</p>	<p>Among persons without a contraindication or precaution, a history of:</p> <ul style="list-style-type: none"> <li>Allergy to oral medications (including the oral equivalent of an injectable medication)</li> <li>History of food, pet, insect, venom, environmental, latex, etc., allergies</li> <li>Family history of allergies</li> </ul>
ACTIONS	<ul style="list-style-type: none"> <li>Do not vaccinate<sup>^</sup></li> <li>Consider referral to allergist-immunologist</li> </ul>	<ul style="list-style-type: none"> <li>Risk assessment</li> <li>30 minute observation period if vaccinated</li> <li>Consider deferral of vaccination for further risk assessment and possible referral to allergist-immunologist</li> </ul>	<ul style="list-style-type: none"> <li>30 minute observation period: Persons with a history anaphylaxis (due to any cause)</li> <li>15 minute observation period: All other persons</li> </ul>

<sup>#</sup> Any hypersensitivity-related signs or symptoms consistent with urticaria, angioedema, respiratory distress (e.g., wheezing, stridor), or anaphylaxis that occur within four hours following administration.

<sup>^</sup>These persons should not receive mRNA COVID-19 vaccination at this time unless they have been evaluated by an allergist-immunologist and it is determined that the person can safely receive the vaccine (e.g., under observation, in a setting with advanced medical care available)

<sup>\*</sup>Polyethylene glycol (PEG), an ingredient in both mRNA COVID-19 vaccines, is structurally related to polysorbate and cross-reactive hypersensitivity between these compounds may occur. Information on ingredients of a vaccine or medication (including PEG, a PEG derivative, or polysorbates) can be found in the package insert. PEG and polysorbate are common excipients in many vaccines, injectable therapies, and other products. Persons with a known (diagnosed) allergy to PEG, another mRNA vaccine component, or polysorbate, have a contraindication to vaccination. Persons with a reaction to a vaccine or injectable therapy that contains multiple components, one of which is PEG, another mRNA vaccine component or polysorbate, but in whom it is unknown which component elicited the immediate allergic reaction have a precaution to vaccination. Polysorbate 80 is an ingredient in Janssen COVID-19 vaccine. People with a contraindication to Janssen COVID-19 vaccine (including due to a known allergy to polysorbate) have a precaution to mRNA COVID-19 vaccines. For people with these precautions, referral to an allergist or immunologist should be considered.

### Potential characteristics of allergic reactions, vasovagal reactions, and vaccine side effects following mRNA COVID-19 vaccination

Characteristics	Immediate allergic reactions (including anaphylaxis)	Vasovagal reaction	Vaccine side effects (local and systemic)
Timing after vaccination	Most occur within 15-30 minutes of vaccination	Most occur within 15 minutes	Median of 1 to 3 days after vaccination (with most occurring the day after vaccination)
Sign and symptoms			
Constitutional	Feeling of impending doom	Feeling warm or cold	Fever, chills, fatigue
Cutaneous	Skin symptoms present in ~90% of people with anaphylaxis, including pruritus, urticarial, flushing, angioedema	Pallor, diaphoresis, clammy skin, sensation of facial warmth	Pain, erythema or swelling at injection site; lymphadenopathy in same arm as vaccination
Neurologic	Confusion, disorientation, dizziness, lightheadedness, weakness, loss of consciousness	Dizziness, lightheadedness, syncope (often after prodromal symptoms for a few seconds or minutes), weakness, changes in vision (such as spots of flickering lights, tunnel vision), changes in hearing	Headache
Respiratory	Shortness of breath, bronchospasm, wheezing, stridor, hypoxia	Variable; if accompanied by anxiety, might have an elevated respiratory rate	N/A
Gastrointestinal	Nausea, vomiting, abdominal cramps, diarrhea	Nausea, vomiting	Vomiting or diarrhea might occur
Musculoskeletal	N/A	N/A	Myalgia, arthralgia
Vaccine recommendations			
Recommended to receive 2 <sup>nd</sup> dose of mRNA COVID-19 vaccine?	NO	Yes	Yes